

Adding Miles to Mileage



Automotive Oils





CONTENTS

2	<i>Motor Cycle Oils</i>
5	<i>Shock Absorber Oil</i>
6	<i>Automotive Gear Oils</i>
8	<i>Passenger Car Motor Oils</i>
10	<i>Out Board Motor Oils</i>
11	<i>Diesel Engine Oils</i>
14	<i>Transmission Oils</i>
17	<i>Gas Engine Oils</i>
18	<i>Agriculture Oils</i>
20	<i>Automotive Greases</i>
22	<i>Three Wheeler Oils</i>
23	<i>Diesel Exhaust Fluid</i>
24	<i>Radiator Coolant</i>



4 STROKE ENGINE OILS

Description

Divyol's range of 4-stroke bike engine oils are specially formulated for new generation bikes, improving efficiency and ensuring a clean engine and cleaner environment.

Composition

Developed using fine grade performance base oils and additives

Application

Ideal for 4-stroke engines of two and three-wheeler vehicles, including those operating in severe conditions

Benefits

- Clean combustion and maximum cleanliness of the engine
- Low pour point enables round the year use, including in sub-zero conditions
- Complete protection to engine parts from wear and corrosion
- Excellent resistance to thermal breakdown and thus, reduced frequency of oil change
- Enhanced engine life
- Smooth ride at optimum fuel efficiency



DIVYOL SPIN X4 20W40



Performance Level : API SN/JASO MA2, BSVI compl.
Pack Sizes : 900 ml, 1L, 20 L, 26L, 50 L, 210 L

DIVYOL SPIN X5 15W50



Performance Level : API SN/JASO MA2, BSVI compl.
Pack Sizes : 2.5L, 26 L, 50 L, 210 L

DIVYOL SPIN X2 20W50



Performance Level : API SN/JASO MA2, BSVI compl.
Pack Sizes : 1.2L, 26L, 50 L, 210 L

DIVYOL SPIN X3 10W30



Performance Level : API SN/JASO MA2, BSVI compl.
Pack Sizes : 900 ml, 1L, 26 L, 50 L, 210 L

DIVYOL SPIN 4T 20W40



Performance Level : API SL/JASO MA2, BSVI compl.
Pack Sizes : 900 ml, 1L, 26L, 50 L, 210 L

DIVYOL SPIN 4T SCOOOL 10W30



Performance Level : API SL/JASO MB, BSVI compl.
Pack Sizes : 800 ml, 26L, 50 L, 210 L



**DIVYOL SPIN 4T SCOOOL
10W30 - POC**



Performance Level : API SL/JASO MB, BSVI compl.
Pack Sizes : 800 ml

**DIVYOL SPIN 4T ADVANCE
10W30**



Performance Level : API SL/JASO MA2, BSVI compl.
Pack Sizes : 900 ml, 1L, 26L, 50L, 210L

**DIVYOL SPIN 4T ZOOM
20W40**



Performance Level : API SM/JASO MA2, BSVI compl.
Pack Sizes : 900 ml, 1L, 26L, 50L, 210L

**DIVYOL SPIN Q4
20W40**



API SJ/JASO MA2, BSVI compl.
Pack Sizes : 900 ml, 1L, 26L, 50L, 210L



SHOCK ABSORBER OIL



Description

Divyol's Shock Absorber Oil is an absorber fluid suitable for all climactic condition having low pour point and good damping effect

Composition

The Shock absorber oil is made from excellent quality base oil and premium additives

Application

Ideal as front fork oil for all motorcycles and other shock absorbing mechanism

Benefits

- Excellent protection against wear and tear
- Compatible with rubber sealing material
- Excellent viscosity /Temperature characteristics
- Good anti foam properties and excellent damping characteristics



DIVYOL SWING

Performance Level : PROPRIETARY
Pack Sizes : 175 ml, 350 ml, 26L, 50 L, 210 L

AUTOMOTIVE GEAR OILS

Description

Divyol's multipurpose gear oils are specially formulated for gears used in new generation vehicles.

Composition

Made from base oils and fortified with select additives to deliver unmatched performance

Application

Ideal for all types of highway and off highway vehicles working under severe and widely varied temperature conditions

Benefits

- Ideal for extreme and high load conditions
- Reduces heat transmission in the gear set
- Excellent corrosion resistance
- Decrease in noise level and maintenance costs
- Extended service life of gears

DIVYOL SPINE EP 90



Performance Level : API GL4

Pack Sizes : 500ml, 1L, 2.5L, 5L, 8L, 10L, 12L, 20L, 26L, 50L, 210



DIVYOL SPINE SXP 75W90



Performance Level : API GL4, SYNTHETIC BLEND
Pack Sizes : 2.5 L, 26 L, 50 L, 210 L

DIVYOL SPINE SXD 75W90



Performance Level : API GL5, SYNTHETIC BLEND
Pack Sizes : 2.5 L, 26 L, 50 L, 210 L

DIVYOL SPINE EP 80W90



Performance Level : API GL4
Pack Sizes : 500 ml, 1 L, 2.5 L, 5 L, 7 L, 10 L, 20 L, 26 L, 50 L, 210 L

DIVYOL SPINE EP 140



Performance Level : API GL4
Pack Sizes : 500ml, 1 L, 5 L, 7 L, 8 L, 10 L, 12 L, 20 L, 26 L, 50 L, 210 L

DIVYOL SPINE XD 85W140



Performance Level : API GL5
Pack Sizes : 1 L, 5 L, 8 L, 10 L, 12 L, 20 L, 26 L, 50 L, 210 L

DIVYOL SPINE XD 80W90



Performance Level : API GL5
Pack Sizes : 1 L, 2.5 L, 5 L, 7 L, 10 L, 20 L, 26 L, 50 L, 210 L



PASSENGER CAR MOTOR OILS

A woman wearing a light-colored straw hat and a sleeveless, vertically striped dress stands on a paved road, leaning against the open trunk of a silver car. The car's trunk is open, and a red shopping bag is visible inside. The background features a scenic view of rolling green hills under a bright, hazy sky, suggesting a sunny day. The overall mood is peaceful and leisurely.

Description

Divyol's passenger car motor oils are designed to meet the most stringent requirements of the modern internal combustion gasoline engine.

Composition

Wide range of oils meeting API and viscometric specifications

Application

Ideal for new generation gasoline and diesel engine passenger cars and light commercial vehicles

Benefits

- High resistance to sludge
- Good cold starting
- Low volatility characteristics
- Effective protection against corrosion and oxidation at high temperatures

DIVYOL SPECTRO SX 20W50



Performance Level : API SN, BS VI compliant
Pack Sizes : 1L, 3L, 3.5L, 26L, 50L, 210L

DIVYOL SPECTRO CX 5W30



Performance Level : API SN, BS VI compliant
Pack Sizes : 1L, 3L, 3.5L, 5L, 26L, 50L, 210L

DIVYOL SPECTRO AX 5W40



Performance Level : API SN, BS VI compliant
Pack Sizes : 1L, 3.5L, 4L, 26L, 50L, 210L

DIVYOL SPECTRO VX 10W40



Performance Level : API SN, BS VI compliant
Pack Sizes : 1L, 3.5L, 26L, 50L, 210L

DIVYOL SPECTRO LX 10W30



Performance Level : API SN, BS VI compliant
Pack Sizes : 1L, 3L, 26L, 50L, 210L



DIVYOL GONDOLA X2



Performance Level : API TC, JASO FC
Pack Sizes : 500 ml, 1L, 5L, 20L, 26L, 50L, 210L

DIVYOL GONDOLA X3



Performance Level : API TC, JASO FC
Pack Sizes : 1L, 5L, 20L, 26L, 50L, 210L

OUT BOARD MOTOR OILS

Description

Divyol's range of 2-stroke engine oils are especially formulated for new generation 3 Wheelers and watercraft, ensuring efficient performance with a clean engine and cleaner environment.

Composition

Low ash proprietary formulations

Application

All 2-stroke engines, covering the recommended autorickshaws and outboard motors, including the popular Japanese imports (meeting latest JASO standards)

Benefits

- Excellent protection against wear and corrosion
- Excellent resistance to thermal breakdown and thus, reduced frequency of oil change
- Complete and clean combustion for a clean engine
- Enhanced engine life
- Suitable for marine environment as well



HEAVY DUTY DIESEL ENGINE OILS



Description

Divyol's range of heavy duty diesel engine oils are suitable for light, medium and heavy commercial vehicles and new low emission engines with ULSD.

Composition

Formulated from high quality base oils with select premium quality additives

Application

Suitable for both, on and off-highway diesel engines, naturally aspirated and turbocharged 4-stroke diesel engines and construction equipment

Benefits

- Higher mileage and better pickup
- Improved engine cleanliness and reduced vibrations
- Wide range of viscosities
- Prevents clogging of DPFs and SCR's
- Excellent wear protection to maximise engine life
- Extended service life of after-treatment systems

DIVYOL DISOL TC 15W40



Performance Level : API CH4/SL
Pack Sizes : 1L, 3,5L, 5L, 7,5L, 8,5L, 10L, 15L, 26L, 50L, 210L

DIVYOL DISOL SXV 15W40



Performance Level : API CI4+/SL
Pack Sizes : 1L, 3L, 5L, 7L, 7,5L, 8,5L, 10L, 15L, 20L, 26L, 50L, 210L

DIVYOL TRACXX 20W40



Performance Level : API CF4
Pack Sizes : 1L, 5L, 6L, 7,5L, 8,5L, 10L, 13L, 20L, 26L, 50L, 210L

DIVYOL DISOL D 20W40



Performance Level : API CF/SF, MACK T8A
Pack Sizes : 500ml, 1L, 5L, 6L, 7,5L, 10L, 20L, 26L, 50L, 210L

DIVYOL DISOL TURBO 15W40



Performance Level : API CF4/SJ
Pack Sizes : 500ml, 1L, 3L, 5L, 6L, 7,5L, 10L, 13L, 15L, 26L, 50L, 210L

DIVYOL RED PLUS 20W40



Performance Level : API CF/SF
Pack Sizes : 500ml, 1L Pet Bottle: 20L, 26L, 50L, 210L





Pack Sizes : 26L, 50L, 210L

DIVYOL DISOL LXV 15W40

Performance Level : API CK4/ SN, BS VI COMPLIANT

DIVYOL DISOL HXV 15W40

Performance Level : API CJ4/ SN, BS VI COMPLIANT

DIVYOL DISOL EXV 5W40

Performance Level : API CJ4/ SN, BS VI COMPLIANT

DIVYOL DISOL XV 15W40

Performance Level : API CI4/SL

DIVYOL DISOL CG4 15W40

Performance Level : API CG4

DIVYOL DISOL D 50

Performance Level : API CF/SF, MACK T8A

DIVYOL DISOL D 40

Performance Level : API CF/SF, MACK T8A

DIVYOL DISOL D 30

Performance Level : API CF/SF, MACK T8A

DIVYOL DISOL C 20W50

Performance Level : API CD+

DIVYOL DISOL C 20W40

Performance Level : API CD+

DIVYOL DISOL C 30

Performance Level : API CD+

DIVYOL DISOL C 40

Performance Level : API CD+

DIVYOL DISOL C 50

Performance Level : API CD+



TRANSMISSION OILS

Description

Description: Divyol's product range contains oils specially formulated for the modern automatic transmission cars and wide range of oils suitable for construction industry segment includes hydraulic oils, Transmission oils, Crankcase oils, Gear oils and Greases.

Composition

Blended from premium quality base stocks and advanced additives

Application

Ideal for automatic transmission and power steering units of automobiles and light vehicles, also suitable for both, on and off-highway construction equipment like Dozers, cranes, dumpers, shovers etc.

Benefits

For Automotive

- Protects the critical and complex transmission components
- Superior dispersant for maximum anti-wear
- Effective anti-oxidation and de-foaming properties
- Ideal friction characteristics for smooth transmission performance
- Smoother ride for a longer period

For Construction

- Improved Engine durability
- Extended service protection
- Wide range of viscosities and product specifications to choose from
- Improved performance and low downtime of hydraulic and Transmission system
- Outstanding wear protection and performance to maximize engine life
- Outstanding protection under severe working conditions

DIVYOL TQX1



Performance Level : TYPE 'A' SUFFIX 'A'
Pack Sizes : 500 ml, 1L, 5L, 20L, 26L, 50L, 210 L

DIVYOL TQX2



Performance Level : DEXRON II G
Pack Sizes : 500 ml, 1L, 20L, 26L, 50L, 210 L

DIYOL HYDRAULIC OIL AW68 (Golden)



Performance Level : DIN 51524 P-1
Pack Sizes : 1L, 26L, 50L, 210 L

DIYOL HYDRAULIC OIL AW68 (Golden)



Performance Level : DIN 51524 P-2
Pack Sizes : 1L, 26L, 50L, 210 L

DIYOL HYDRAULIC OIL AW68C (W.white)



Performance Level : DIN 51524 P-2
Pack Sizes : 5L, 26L, 50L, 210 L



**DIYOL HYDRAULIC OIL
AW32 (Golden)**



Performance Level : DIN 51524 P-2
Pack Sizes : 5 L, 26 L, 50 L, 210 L

**DIYOL HYDRAULIC OIL
AW46 (Golden)**



Performance Level : DIN 51524 P-2
Pack Sizes : 5 L, 26 L, 50 L, 210 L

DIVYOL HYTRANS G SAE30



Performance Level :
Pack Sizes : 10 L, 20 L, 26 L, 50 L, 210 L

DIVYOL HYTRANS G SAE10W



Performance Level :
Pack Sizes : 10 L, 20 L, 26 L, 50 L, 210 L

**DIVYOL POWER TRANS C4
SAE30**



Performance Level : ALLISON C4
Pack Sizes : 26 L, 50 L, 210 L

**DIVYOL POWER TRANS C4
SAE10**



Performance Level : ALLISON C4
Pack Sizes : 26 L, 50 L, 210 L



GAS ENGINE OILS

Description

Divyol's series of premium quality gas engine oils are designed for engines operating on gases like CNG and LPG.

Composition

Made from base oils and fortified with select additives to deliver unmatched performance considering high levels of methane and hydrogen sulphide

Application

Ideal for CNG/LPG fitted cars, taxis, auto rickshaws and three-wheelers fitted with 4-stroke engines

Benefit

- Excellent protection against corrosion caused by acid
- Ensures a clean engine by reducing dirt accumulation
- Helps avoid unscheduled maintenance
- High oxidation stability

DIVYOL GASOL 30

Performance Level : API SC/CF
Pack Sizes : 20L, 26L, 50L, 210 L

DIVYOL GASOL 40

Performance Level : API SG/CF
Pack Sizes : 20L, 26L, 50L, 210 L



DIVYOL ECO 4 20W50

Performance Level : API SG / CF
Pack Sizes : 500 ml, 1L (HDPE & Pet bottle), 2L 3L, 26L, 50 L, 210 L

AGRICULTURE OILS

Description

Divyol's range of agricultural oils continue to be top choice for the lubrication requirements of all farming equipment. This product range includes engine oils, transmission fluids, coolants, etc.

Composition

Blended from highly refined base stocks and a combination of antioxidant, anti-wear and anti-foam additives

Application

Ideal for farm equipment like tractors, power tillers, harvesters, pump sets, etc.

Benefits

- Highest level of engine protection from corrosion and wear
- Superior anti-corrosion protection to engine internals during idle periods
- Easy starting even at low ambient temperatures
- Helps maintain a clean engine
- Optimum fuel efficiency



DIVYOL KRISHI JEEVAN 20W40 (PSO)



LONG-SEEKING
VIBRANT LIFE 3.5 L

Performance Level : Proprietary
Pack Sizes : 1.2 L, 1.5 L, 3.5 L, 26 L, 50 L, 210 L

DIVYOL TILLER-X



Performance Level : API CF
Pack Sizes : 1.5 L, 3.5 L, 26 L, 50 L, 210 L

DIVYOL UNITRAXX



Performance Level : UTTO
Pack Sizes : 1 L, 5 L, 10 L, 20 L, 26 L, 50 L, 210 L





AUTOMOTIVE GREASES

Description

Divyol's range of lithium based automotive greases enable vehicles and equipment to perform efficiently and for longer periods even under heavy shock loads.

Composition

Specially developed soap systems fortified with carefully balanced additives

Application

Recommended for all automotive application including cars, trucks, buses as well as construction and mining equipment working under severe conditions

Benefits

- High thermal stability
- Maximum protection from dirt and abrasive contaminants
- Reduces frequency of need for re-lubrication

DIVYOL MP 3 GREASE



Appearance: Smooth, buttery and Light yellowish
Performance Level : Meets NLGI 3, BIS 12203-99
and IS 7623-1993 (Industrial-Regular type grade 3)
Pack Sizes : 100 gm, 500 gm, 1 kg, 2 kg, 3 kg,
5 kg, 18 kg, 180 kg

DIVYOL AP 3 GREASE GT



Appearance: Calcium based gel type multipurpose grease,
Meets NLGI 3 Specifications
Pack Sizes : 5 kg, 10 kg, 18 kg, 180 kg

DIVYOL X-RED GREASE



Appearance: Smooth, Red, Gel Type
Pack Sizes : 500 gm, 1 kg, 2 kg, 3 kg, 5 kg, 7 kg, 180 kg

DIVYOL XL BLUE GREASE



Appearance: High performance premium Lithium Complex
(Metal Complex) long life grease Meets NLGI 2 / 3 Specifications
Pack Sizes : 5 kg, 7 kg, 18 kg, 180 kg

DIVYOL XLT BLUE GREASE



Appearance: High-performance Lithium Complex Grease
Meets NLGI certification GC-LB
Pack Sizes : 18 kg, 180 kg



THREE WHEELER OILS

Description

Divyol's cost effective product for general purpose applications.

Composition

Formulated from base oils with only essential additives.

Application

Suitable for old diesel vehicles, three-wheelers, modied three-wheelers (Chakda).

Benefit

- Protects engine from damage
- Better mileage
- Most cost effective
- Smoother engine operation



DIVYOL AUTO PLUS

Pack Sizes : 1.2L, 2.2L, 26L, 50 L, 210 L



DIESEL EXHAUST FLUID

Description

DEF is an aqueous solution used to reduce exhaust emissions.

Composition

Diesel exhaust fluid (DEF) is a carefully blended solution composed of aqueous urea (32.5%) and ionised water (67.5%).

Application

Diesel exhaust fluid (DEF) is used in diesel engines BS IV compliant with SCR systems to reduce emissions.

Benefit

- Non-polluting
- Increases efficiency of the engine
- Protects your vehicle from polluting environment
- Protects SCR from catalysts damage



DIVYOL ECO BLUE

Performance Level : DEF/AUS32
Pack Sizes : 20 L, 210 L

RADIATOR COOLANT

Description

Divyol's range of coolants are suitable for engines having closed loop coolant circulation systems.

Composition

These coolants are made from MEG and balanced with a mixture of corrosion inhibitors and specialty additives.

Application

Ideal for cars, HCVs, MCVs, construction equipment, tractors and stationary DG sets.

Benefit

- Excellent protection against corrosion
- Compatible with rubber sealing material
- Excellent heat transfer properties
- Prevents scaling and deposits even in the presence of hard water
- This is a long-life coolant made from organic corrosion inhibitors (organic acid salts) also known as organic acid Technology (OAT).



DIVYOL COOLMAX PURE (Concentrated, Fl. Green)

Performance Level : JIS 2234 : 2006
Pack Sizes : 500 ml, 1L, 5 L, 50 L, 210 L



DIVYOL COOLMAX (Ready Mix With Ratio 1: 3, Fl. Green)

Performance Level : JIS 2234 : 2006
Pack Sizes : 500 ml, 1L, 5 L, 50 L, 210 L







Gandhar Oil Refinery (India) Limited

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, GMP Certified, NABL Accreditation and Government Recognized Three Start Export House

Registered Office

18th Floor, DLH Park, S. V. Road, Goregaon (W), Mumbai 400062, India. | Phone: +91-22-40635600 | Fax: +91-22-40635601
Email: sales@gandharoil.com | Website: www.gandharoil.com

Branch Offices and Depots

Pune | Baroda | Indore | Raipur | Udaipur | Jaipur | Delhi | Faridabad | Ghaziabad | Sonapat | Manesar | Haridwar
Patna | Hyderabad | Mangalore | Bangalore | Guwahati | Varanasi | Hapur | Dharamtar | Jaigarh | Kandla | Surat (Magdalla)
Navlakhi | Krishnapatnam | Vishakapatnam | Gangavaram

Plants

Taloja | Silvassa | Sharjah

