



DIVYOL TRANS 20 AND 21 – STANDARD & PREMIUM TRANSFORMER OIL-IEC 296:82 CLASS I A & II A-INHIBITED

Divyol Trans 20 and 21 are Transformer Oils specially manufactured from carefully selected new generation base oils, possessing excellent electrical properties and conforming to specifications of IEC 296 - 1982 Class I and Class II Inhibited type. They also meet the ASTM D 1275 B test requirements for corrosive sulphur.

Sr. No.	Characteristics	Unit	Test Method	Specification of Divyol Trans 20 IC 296-I (IEC 296 Class I)	Specification of Divyol Trans 21 IC 296-II (IEC 296 Class II)
				Standard	Premium
1	Appearance		Representative sample of the oil shall be examined in transmitted light under a thickness of 10 cm at ambient temperature	Clear, free from sediment and suspended matter	Clear, free from sediment and suspended matter
2	Density at 20 °C max.	kg/dm³	ISO 3675	0.895	0.895
3	Kinematic viscosity	mm²/sec	ISO 3104		
	a) at 40 °C max.			11	11
	b) at -30 °C max.			No general requirement	1800
	c) at -15 °C max.			800	No general requirement
4	Flash point, pmcc min.	°C	ISO 2719	140	140
5	Interfacial tension at 25 °C min.	N/m	ISO 6275	0.04	0.04
6	Electric strength breakdown voltage (BDV)		IEC 156		
	a) As delivered min.	kV		30	30
	b) After treatment min.	kV		50	50
7	Dielectric dissipation factor max. tan Delta at 90 °C and 40 – 62 Hz		IEC 247	0.005	0.005
8	Corrosive sulphur copper strip, at140 °C, for 19 hrs. copper strip, at 150 °C, for 48 hrs.		ISO 5662 ASTM D 1275 B	Non corrosive No general requirement	Non-corrosive
9	Anti oxidant additives	%	IEC 666 (Limit given as guideline only)	0.15 min – 0.40 max	
10	Oxidation stability at 100 °C, for 164 hrs.		IEC 74		
	Induction period	Hours	(Limit given as guideline only)	120	
11	Pour point max.	°C	ISO 3016	-30	-45
12	Neutralisation value max.	mg KOH/g	7.7 of IEC 296	0.03	0.03
13	Water content	ppm	IEC 733		
	a) Bulk max.			30	30
	b) Drum max.			40	40

Disclaimer: GANDHAR OIL makes no warrantees, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility.

